

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1-19. (Canceled)

20. (Currently Amended) A solid-liquid filtration cloth, comprising:

a first outer surface and a second ~~surface~~; outer surface, the first outer surface and the second outer surface being of an integrally woven structure;

a plurality of longitudinal polymer yarns and a plurality of cross-direction polymer yarns; and

a solid-liquid filtration cloth having a permeability allowing liquid in a mixture to be solid-liquid filtered to permeate the cloth while preventing solids from the mixture from passing the cloth,

wherein at least the first outer surface of the cloth is provided with a corrugated outermost contact surface provided with a plurality corrugations opening away from the cloth, and

the second outer surface of the cloth is substantially even.

21. (Canceled)

22. (Currently Amended) A solid-liquid filtration cloth as claimed in claim 20, wherein

a filtration portion suitable for solid-liquid filtration and comprising a plurality of cross-direction yarns is provided on the side of the first outer surface of the cloth,

the cloth comprising a portion composed of yarns having a changing length,

the corrugated surface being provided with crests of corrugations, and

~~and~~-at the crests, a maximum distance between the cross-direction yarns and the yarns having a changing length of the filtration portion is at least 1.5 mm.

23. (Currently Amended) A solid-liquid filtration cloth as claimed in claim 20, wherein

at least a side of the first outer surface of the cloth is provided with a filtration portion having a corrugated shape and comprising crests and bottoms of corrugations,

the cloth comprising highly heat-shrinkable cross-direction yarns whose length is shortened in heat treatment subsequent to weaving,

the highly heat-shrinkable yarns are bound to the filtration portion at binding points, and

the binding points are located at the bottoms of the ~~corrugations~~ corrugations, and are part of the integrally woven structure of the first outer surface and the second outer surface.

24. (Currently Amended) A solid-liquid filtration cloth as claimed in claim 20, wherein

at least a side of the first outer surface of the cloth is provided with a filtration portion having a corrugated shape and comprising crests and bottoms of corrugations,

the cloth comprises cross-direction stretchable yarns having, after weaving, a rest length shorter than the length of the yarns during weaving,

the stretchable yarns are bound to the filtration portion at binding points, and

the binding points are located at the bottoms of the ~~corrugations~~ corrugations, and are part of the integrally woven structure of the first outer surface and the second outer surface.

25-28. (Canceled)

29. (New) A solid-liquid filtration cloth, comprising:

a first outer surface and a second outer surface;

a plurality of longitudinal polymer yarns and a plurality of cross-direction

polymer yarns; and

a solid-liquid filtration cloth having a permeability allowing liquid in a mixture to be solid-liquid filtered to permeate the cloth while preventing solids from the mixture from passing the cloth,

wherein at least the first outer surface of the cloth is provided with a corrugated outermost contact surface provided with a plurality corrugations opening away from the cloth,

the second outer surface of the cloth is substantially even, and

the solid-liquid filtration cloth constitutes a bag-shaped filtration element for disc filtration.

30. (New) A solid-liquid filtration cloth as claimed in claim 20, wherein the first outer surface of the cloth has corrugations in one direction only.

31. (New) A solid-liquid filtration cloth as claimed in claim 20, wherein at least a side of the first outer surface of the cloth is provided with a filtration portion having a corrugated shape and comprising crests and bottoms of corrugations, the cloth comprising highly heat-shrinkable cross-direction yarns whose length is shortened in heat treatment subsequent to weaving,

the highly heat-shrinkable yarns are bound to the filtration portion at binding points,

the binding points are located at the bottoms of the corrugations, and

the highly heat-shrinkable yarns cross yarns of the filtration portion at the binding points as part of the integrally woven structure of the first outer surface and the second outer surface.

32. (New) A solid-liquid filtration cloth as claimed in claim 20, wherein the first outer surface of the cloth is entirely corrugated.